

Neues Jahrbuch für Mineralogie

Begründet 1807

Monatshefte

Redaktion

R. EMMERMANN Giessen M. ROSENHAUER Göttingen

H. SAALFELD Hamburg E. B. WATSON Troy

P. J. DUNN Washington

Jahrgang 1989 · Mit zahlreichen Abbildungen
und Tabellen im Text



E. Schweizerbart'sche Verlagsbuchhandlung
(Nägele u. Obermiller) · Stuttgart 1989

Alle Rechte, auch das der Übersetzung, vorbehalten

Printed in Germany

Jegliche Vervielfältigung einschließlich photomechanischer Wiedergabe der in dem Band enthaltenen Beiträge oder Teile daraus nur mit ausdrücklicher Genehmigung durch den Verlag.

Calwer Druckzentrum GmbH

Inhalt

Seite

Aftalion, M., Bowes, D. R. & Vrána, S.: Early Carboniferous U–Pb zircon age for garnetiferous, perpotassic granulites, Blanský les masif, Czechoslovakia. With 2 figures and 1 table in the text	145
Albat, F. s. Zeck, H. P.	
AlDahan, A. A.: The paragenesis of pumpellyite in granitic rocks from the Siljan area, central Sweden. With 9 figures and 4 tables in the text	367
Althaus, E. s. Friz-Töpfer, A.	
Althaus, E. s. Istrate, G.	
Balassone, G., Boni, M., Di Maio, G. & Franco, E.: Armenite in southwest Sardinia: first recorded occurrence in Italy. With 4 figures and 2 tables in the text	49
Baran, Enrique J. s. Botto Irma L.	
Basso, R., Lucchetti, G. & Palenzona, A.: Crystallographic and crystal chemical study on a natural C2/c ordered Na–Mn–clinopyroxene from Val di Vara (Northern Apennines, Italy). With 1 figure and 5 tables in the text	59
Basso, R., Lucchetti, G. & Palenzona, A.: Orientite and macfalte: new occurrence at the Cherchiara Mine (Eastern Liguria, Italy). With 1 figure and 3 tables in the text	455
Basso, R., Palenzona, A. & Zefiro, L.: Crystal structure refinement of a Sr-bearing term related to copper vanadates and arsenates of adelite and descloizite groups. With 1 figure and 6 tables in the text	300
Böhme, O., Wand, U. & Ullrich, B.: Kristallchemische Untersuchungen an Spinellen granulitfazieller Marmore des zentralen Königin-Maud-Landes, Ostantarktika. [Crystal chemical studies on spinels of granulite-facies marbles from central Queen Maud Land, East Antarctica]. Mit 3 Abbildungen und 4 Tabellen im Text	289
Bonazzi, P. & Menchetti, S.: Contribution to the crystal chemistry of the minerals of the ludwigite–vonsenite series. With 6 figures and 9 tables in the text	69
Bonazzi, Paola & Olmi, Filippo: Theisite from Forno (Alpi Apuane) and from Sa Duchessa (Sardinia), Italy. With 2 figures and 2 tables in the text	241
Boni, M. s. Balassone G.	
Botto, Irma L., Baran, Enrique J. & Deliens, Michel: Vibrational spectrum of natural and synthetic metatyuyamunite. With 1 figure and 1 table in the text	212
Bowes, D. R. s. Aftalion, M.	
Brown, M. A. s. Hughes, J. M.	
Catti, M., Ferraris, G. & Ivaldi, G.: On the crystal chemistry of strontian piemonte with some remarks on the nomenclature of the epidote group. With 3 figures and 3 tables in the text	357
Černý, P., Ucakuwun, E. K. & Chapman, R.: A ferrotantalite–ferrotapiolite exsolution from Uganda. With 8 figures and 1 table in the text	109

Channon, A. L. s. Dubrawski, J. V.	
Chapman, R. s. Černý, P.	
Charbonneau, H. E. s. Edgar, A. D.	
Coltori, M. s. Siena, Franca	
Cotkin, Spencer J.: Manganiferous dravite-uvite tourmaline, fluorine distribution, and talc formation, northwest Adirondacks, U.S.A. With 3 figures and 3 tables in the text	201
Deliens, M. s. Botto, Irma L.	
DeMarco, A. s. Scordari, F.	
Di Maio, G. s. Balassone G.	
Dobosi, G. & Nagy, B.: The occurrence of an Au-Bi sulphide in the Nagyörzsöny hydrothermal ore deposit, Northern Hungary. With 3 figures and 1 table in the text	8
Doering, Th. s. Schnorrer-Köhler, G.	
Dubrawski, J. V., Channon, A. L. & Warne, S. St. J.: The effects of substitution in the Dolomite-Ferroan Dolomite-Ankerite Series as illustrated by FTIR. With 4 figures and 2 tables in the text	337
Dvorachek, M. s. Ilani, S.	
Edgar, A. D., Charbonneau, H. E. & McHardy, D. C.: Pd-bismuthotelluride minerals at Rathbun Lake, Ontario: significance to post-magmatic evolution of PGE deposits. With 8 figures and 1 table in the text	461
Ehrlich, S. s. Ilani, S.	
Ericsson, T. s. Nord, A. G.	
Erlinghagen, K.-P.: Fluid inclusion studies of siderite lodes of the Siegerland-Wied District (Rheinisches Schiefergebirge), FRG. With 2 figures and 3 tables in the text	557
Ferraris, G. s. Catti, M.	
Flexer, A. s. Ilani, S.	
Francaviglia, Vincenzo: Post-caldera pumice deposits on Santorini (Cyclades, Greece). With 5 figures and 1 table in the text	275
Franco, E. s. Balassone, G.	
Friz-Töpfer, A. & Althaus, E.: Magma type identification of a highly flow-differentiated doleritic dyke: normalized plots of incompatible elements are an appropriate tool. With 2 figures and 1 table in the text	390
Fuess, H. s. Pechar, F.	
Fujimoto, K. s. Iishi, K.	
Fujino, K. s. Iishi, K.	
García-Casco, A. s. Zeck, H. P.	
Giuseppetti, G., Mazzi, F. & Tadini, C.: The crystal structure of chalcosiderite, $\text{CuFe}_8^{3+}(\text{PO}_4)_4(\text{OH})_8 \cdot 4\text{H}_2\text{O}$. With 3 figures and 6 tables in the text	227
Giuseppetti, G. & Tadini, C.: Beudantite: $\text{PbFe}_3(\text{SO}_4)(\text{AsO}_4)(\text{OH})_6$, its crystal structure, tetrahedral site disordering and scattered Pb distribution. With 5 tables in the text	27

Giuseppetti, Giuseppe, Tadini, Carla & Oddone, Massimo: Cenosite-(Y) from Baveno, Novara (Italy): crystal structure. With 3 figures and 5 tables in the text	153
Guse, W. s. Saalfeld, H. - s. Sure, S.	
Grossowicz, L. s. Ilani, S.	
Hansen, B. T. s. Zeck, H. P.	
Hashimoto, N. s. Kato, T.	
Heidknecht, U. s. Krupp, E. R.	
Honigstein, A. s. Ilani, S.	
Hughes, J. M. & Brown, M. A.: The crystal structure of ziesite, $\beta\text{-Cu}_2\text{V}_2\text{O}_7$, a thortveitite-type structure with a non-linear X-O-X intertetrahedral bond. With 3 figures and 5 tables in the text	41
Iishi, K., Fujimoto, K. & Fujino, K.: Single crystal growth of ackermanites $\text{Ca}_2\text{Mg}_{1-x}\text{Co}_x\text{Si}_2\text{O}_7$ with modulated structure. With 3 figures and 1 table in the text	219
Iishi, K., Kadomi, M. & Okamoto, K.: Synthesis of laihunite by heating Fe-Mn olivine in air. With 4 figures and 1 table in the text ..	245
Iishi, K., Okamoto, K. & Kadomi, M.: Formation of laihunite from Fe-(Mg,Co,Mn,Ca) olivines. With 5 figures and 2 tables in the text	345
Ilani, S., Rosenfeld, A., Nathan, Y., Flexer, A., Grossowicz, L., Honigstein, A., Dvorachek, M. & Ehrlich, S.: Iron concretions in the Paleocene marls of Israel - a case study from the Judean foothills. With 4 figures and 1 table in the text	529
Istrate, G. & Althaus, E.: Methane and nitrogen in granulite facies rocks from the Sila Massif, Calabria, southern Italy. With 3 figures and 1 table in the text	97
Ito, V. s. Kato, T.	
Ivaldi, G. s. Catti, M.	
Janeczek, J. & Sachanbiński, M.: Chemistry and zoning of thulite from the Wiry magnesite deposit, Poland. With 5 figures and 1 table in the text	325
Jocelyn, J.: Rocks like wood: a mechanical explanation for regular banding. With 1 figure in the text	320
Johan, Z.: Merenskyte, $\text{Pd}(\text{Te,Se})_2$, and the low temperature selenide association from the Předbořice uranium deposit, Czechoslovakia. With 1 figure and 4 tables in the text	179
Joswig, W. s. Pechar, F.	
Kadomi, M. s. Iishi, K.	
Kato, T., Ito, Y. & Hashimoto, N.: The crystal structures of sonolite and jerrygibbsite. With 6 figures and 8 tables in the text	410
Khouri, Hani N.: Mineralogy and Petrography of some opaline phases from Jordan. With 5 figures and 1 table in the text	433

Krupp, E. R., Nottes, G. & Heidkte, U.: Moschelite (Hg_2I_2): a new mercury mineral from Landsberg-Obermoschel. With 3 tables in the text	524
Leonardsen, E. S. s. Petersen, O. V.	
Lucchetti, G. s. Basso, R.	
Lucchetti, G.: High-pressure ilvaite bearing mineral assemblages from the Voltri Group (Italy). With 2 figures and 2 tables in the text	1
Matsuura, A. & Yoshikazu, A.: A new method for quantitative representation of zircon morphology. With 4 figures in the text	309
Mazzi, F. s. Giuseppetti, G.	
McHardy, D. C. s. Edgar, A. D.	
Menchetti, S. s. Bonazzi, P.	
Mitchell, Peter A. s. Smith, Ian E. M.	
Mumme, W.: The crystal structure of $\text{Pb}_{5.05}(\text{Sb}_{3.75}\text{Bi}_{0.28})\text{S}_{10.72}\text{Se}_{0.28}$: boulangierite of near ideal composition. With 4 figures and 4 tables in the text	498
Nagy, B. s. Dobosi, G.	
Nathan, Y. s. Ilani, S.	
Neumann, Chr. s. Saalfeld, H.	
Neumann, U. s. Schnorrer-Köhler, G.	
Nord, A. G. & Ericsson, T.: Stability regions for $(\text{Mn}, \text{M})_2\text{P}_2\text{O}_7$ thortveitite-type solid solutions. With 1 figure and 2 tables in the text	130
Nottes, G. s. Krupp, E. R.	
Oddone, M. s. Giuseppetti, G.	
Okamoto, K. s. Iishi, K.	
Olmi, F. s. Bonazzi, Paola	
Palenzona, A. s. Basso, R.	
Pasero, M. & Perchiazzi, N.: Chalcomenite from Baccu Arrodas, Sardinia, Italy: mineral data and structure refinement. With 3 figures and 3 tables in the text	551
Pechar, F., Fuess, H. & Joswig, W.: Refinement of the crystal structure of kaersutite (Vlčí Hora, Bohemia) from neutron diffraction. With 2 figures and 4 tables in the text	137
Perchiazzi, N. s. Pasero, M.	
Pernklau, E.: Experiments on zeolite formation from non-aqueous media. With 2 tables in the text	385
Pertlik, F.: The crystal structure of žechite, $\text{Pb}(\text{Fe}^{2+}, \text{Mn}^{2+})(\text{VO}_4)(\text{OH})$ with $\text{Fe} > \text{Mn}$. A mineral of the desclozite group. With 3 figures and 2 tables in the text	34
Pesquera, A. & Pons, J.: Field evidence of magma mixing in the Aya granitic massif (Basque Pyrenees, Spain). With 3 figures in the text	441
Petersen, O. V., Rønsbo, J. G. & Leonardsen, E. S.: Nacareniobsite-(Ce), a new mineral species from the Ilímaussaq alkaline complex, South Greenland, and its relation to mosandrite and the rinkite series. With 3 figures and 3 tables in the text	84
Pons, J. s. Pesquera, A.	

Rønsbo, J. G. s. Petersen, O. V.	
Rosenfeld, A. s. Ilani, S.	
Saalfeld, H., Neumann, Chr. & Guse, W.: The thermal expansion of K_2HfF_6 and K_2ZrF_6 (22–200 °C). With 2 figures and 3 tables in the text	476
Sachanbiński, M. s. Janeczek, J.	
Schmetzer, K.: Types of water in natural and synthetic emerald. With 2 figures and 1 table in the text	15
Schneider, H. & Vasudevan, R.: Structural deformation of manganese substituted mullites: X-ray line broadening and lattice parameter studies. With 7 figures and 2 tables in the text	165
Schnorrer-Köhler, G., Neumann, U. & Doering, Th.: Mück-eite, $CuNiBiS_3$, a new ore mineral from the Grüne Au mine, Schutzbach/Siegerland. With 2 figures and 2 tables in the text	193
Schultz, P. K., Slade, P. G. & Tiekink, E. R. T.: Refinement of a muscovite structure in $C\bar{1}$ symmetry. With 5 tables in the text ...	121
Scordari, F., Stasi, F. & De Marco, A.: Euchlorin: a new crystallo-graphic and chemical data. With 6 figures and 3 tables in the text	541
Siena, Franca & Coltori, Massimo: The petrogenesis of a hydrated mafic-ultramafic complex and the role of amphibole fractionation at Finero (Italian Western Alps). With 7 figures and 2 tables in the text ..	255
Smith, Ian E. M. & Mitchell, Peter A.: High-magnesium lavas in the late Cenozoic volcanic arc associations of south-eastern Papua New Guinea. With 7 figures and 3 tables in the text	481
Slade, P. G. s. Schultz, P. K.	
Stasi, F. s. Scordari, F.	
Sure, S. & Guse, W.: The crystal structure of zinc-decahydrogen-tetra-arsenate $ZnH_{10}(AsO_4)_4$. With 4 figures and 7 tables in the text	401
Tadini, C. s. Giuseppetti, G.	
Tiekink, E. R. T. s. Schultz, P. K.	
Torres-Roldán, R. L. s. Zeck, H. P.	
Ucakuwun, E. K. s. Černý, P.	
Ullrich, B. s. Böhme, O.	
Vasudevan, R. s. Schneider, H.	
Vrána, S. s. Aftalion, M.	
Wand, U. s. Böhme, O.	
Wang, Naiding: Emplectite: Synthesis, powder data and thermal stability. With 1 table in the text	521
Warne, S. St. J. s. Dubrawski, J. V.	
Yoshikazu, A. s. Matsuura, A.	
Zeck, H. P., Albat, F., Hansen, B. T., Torres-Roldán, R. L. & García-Casco, A.: Alpine tourmaline-bearing muscovite leuco-granites, intrusion age and petrogenesis, Betic Cordilleras, SE Spain. With 2 figures and 1 table in the text	513
Zefiro, L. s. Basso, R.	

